

# **SAFETY DATA SHEET**

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: LIQUID FLUX 5R

**SDS Number:** SDS / 110797\_RevB **Revised Date:** 07/31/2023

Product Use: Industrial Use - Liquid flux

**Distributor:** 

Accu-Glass Products, Inc. 25047 Anza Drive, Valencia CA 91355 United States 661-607-0250 Telephone 661-607-0279 Facsimile info@accuglassproducts.com



#### 2. HAZARDS IDENTIFICATION

**GHS** 



Signal Word: Danger Hazard statement(s)

H225 Highly flammable liquid and vapor H317 May cause an allergic skin reaction

H319 Causes eye irritation

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H336 May cause drowsiness or dizziness

EUH208 Contains rosin. May produce an allergic reaction

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking

P233 Keep container tightly closed

P240 Ground/Bond container and receiving equipment

P242 Use only non-sparking tools

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

P362 Take off contaminated clothing and wash before reuse

P301 + P314 IF SWALLOWED: Get Medical advice/attention if you feel unwell

P302 +P352 IF ON SKIN: Wash with plenty of soap and water

P304 + 341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305 + 351 IF IN EYES: Rinse continuously with water for several minutes (15 mins)

Classification:

Flammable Liquid – Category 2 Eye irritation – Category 2A Skin sensitization- Category 1B

Respiratory sensitization- Category 1B

Specific target organ toxicity- single exposure - Category 3- central nervous system

# PRIMARY ROUTES OF ENTRY:

Carcinogen listed in

⊗Eye ⊗Inhalation ⊗Skin ⊗Ingestion NTP IARC OSHA ⊗Not Listed

**POTENTIAL HEALTH EFFECTS:** 

Eye Contact: Irritating to the eyes and if not removed promptly, may result in serious eye

injury. Do not allow material to come in contact with the eyes.

Ingestion: May cause irritation and damage to the mouth, esophagus and gastrointestinal tract.

**Inhalation:** Heated vapor concentrations may be harmful if inhaled. Irritating to respiratory tract. May cause

headache or lightheadedness. Rosin may cause occupational asthma.

Skin Contact: May cause skin irritation. Allergic reactions are possible, especially with repeated or prolonged

exposure.

Chronic: Not established.

NOTE: Accu-Glass Products, Inc. does not recommend, manufacture, market or endorse any of its

products for human consumption.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	% wt	CAS Registry #	PEL mg/m³	TLV-TWA mg/m³	TLV-STEL mg/m³
ROSIN	50-60	65997-05-9	N.E.	N.E.	N.E.
		(EU)	0.05	N.E.	0.15
ISOPROPYL ALCOHOL	40-50	67-63-0	980	983	1230
		(EU)	÷	999	1250
		(Canada)		983	1228
		(Mexico)	÷	980	1225
		(Singapore)	983		1230
		(China)	-	350	700

Symbol: XI, F Risk Phrases: R36/37/38, R11, R42/43
N.E. = Not established EU = European Union Occupational Exposure Limits

PRODUCT DOES NOT CONTAIN ANY SUBSTANCES OF VERY HIGH CONCERN (SVHC)

## 4. FIRST AID MEASURES

Eye Contact: Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical

attention if irritation persists.

Ingestion: If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give

anything by mouth to an unconscious person. Seek medical attention immediately.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel.

Seek immediate medical attention.

Skin Contact: Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before

reuse. If irritation persists, obtain medical attention.

#### 5. FIRE FIGHTING MEASURES

Flash Point: 11 C (52 F) Method: Not available

Auto-ignition Temperature: Not established.

Flammable Limits: Limits not established. Flammable

Extinguishing Media: Use extinguishers appropriate for the surrounding fire conditions. Foam, dry

chemical, water spray.

Special Fire Fighting

Procedures:

Firefighters must wear NIOSH approved self-contained breathing apparatus and full protective clothing. Evacuate area and fight fire from a safe distance. Containers can

build up pressure if exposed to heat (fire) or flame.

#### 6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Wear a respirator and appropriate Personal Protective (See Exposure

> Controls/Personal Protective Section). Size of spill shall determine respiratory protection from air purifying to self contained breathing apparatus. Keep unnecessary and unprotected personnel from entering the spill area. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Dispose of following

all Federal, State and Local regulations. In the EU refer to the Special Waste

Regulations.

#### 7. HANDLING AND STORAGE

Handling Keep containers tightly closed when not in use. Use care to avoid spills. Avoid breathing Precautions:

vapors from heated material. Avoid contact with eyes, skin and clothing. Use with adequate

ventilation. Ground containers.

Storage Precautions: Store product in tightly capped original containers in a cool, dry area. Keep away from heat

and flame. Store away from incompatible materials. Empty containers may be hazardous as

they contain product residue.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Exhaust point source ventilation should be sufficient to control airborne levels. Use

ventilation.

Personal protection:

Chemical safety glasses/ splash goggles. Face shield for splash hazards. Eyes:

Respirator: An authority approved or compliant marked air-purifying respirator with a fume/organic chemical

cartridge is recommended under certain circumstances where airborne concentrations are expected

to be elevated.

Skin: Compatible chemical resistant gloves. Protective outer garment, apron or sleeves as appropriate and

face shield.

Other: Eyewash fountain in work area. Avoid the use of contact lenses.

Work/Hygienic Maintain good housekeeping. Clean up spills immediately.

Practices: Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water

immediately upon leaving the work area.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: **Boiling Point:** Liauid 84 C (183 F) **Melting Point:** Odor: Slight characteristic odor. Not applicable Specific Gravity: 0.9291 :Hq Not applicable

Vapor Pressure: Not applicable. Solubility in Water: Not established

Vapor Density: (air=1) Not applicable.

## **10. STABILITY AND REACTIVITY**

General: Stable.

Conditions to Avoid: High temperatures, open flame.

Incompatible Materials: Not established Hazardous Decomposition / Not established

Combustion:

Hazardous Polymerization: Will not occur.

## 11. TOXICOLOGICAL INFORMATION

Carcinogenicity: NTP: No

OSHA: No IARC: No

LD50: Not established. LC50: Not established.

Other: None known

# 12. ECOLOGICAL INFORMATION

Product not tested.

# 13. DISPOSAL CONSIDERATION

Waste Disposal Method: Dispose of in accordance with all Federal, State and Local environmental regulations.

In Europe follow the Special Waste Regulations. Flammable waste.

## 14. TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements.

UN 1219, Isopropanol, 3, PG II



North American Emergency Guide Book - Guide Page #129

## 15. REGULATORY INFORMATION

The information in this Safety Data Sheet meets the requirements of the United States Occupational

Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).

Canadian WHMIS: Class B Division 2 Flammable, D2B Toxic Material Causing Other Toxic Effects (eye irritation in animals). D2B Materials Causing Other Toxic Effects –irritant.





This product has been classified in accordance with the guidelines set by the Dept. of Industrial Health of the Republic of Singapore.

This product has been classified in accordance with the Mexican regulations, NOM-018-STPS-2000 and NOM-010-STPS-1999.

This product has been classified using the Chinese Occupational Exposure Limit for Hazardous Agents in the Workplace, GBZ2-2002.

SARA 313 Listing - 40 CFR 372.65 - None

All ingredients are listed on the USEPA TSCA Inventory.

All ingredients are listed on the Philippines Inventory of Chemicals.

All ingredients are listed on the Korean Existing Chemical List.

EC Classification, Packaging and Labeling Requirements:

Symbol and Hazard Classification of Product

XI, F

#### **Risk Phrases:**

R36/37/38 Irritating to eyes, respiratory system and skin

R11 Highly Flammable

R42/43 May cause sensitization by inhalation and skin contact

R67 Vapors may cause drowsiness and dizziness

#### Safety Phrases:

S16 Keep away from sources of ignition – No Smoking

S20/21 When using do not eat, drink or smoke
 S23 Do not breathe fumes/gas/vapor/spray
 S24/25 Avoid contact with skin and eyes

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection

S62 If swallowed, do not induce vomiting seek medical advice immediately and show container or label

S7 Keep container tightly closed

## **16. OTHER INFORMATION**

HMIS Hazard Rating: Health: 2

Fire: 3

Physical Hazard: 0

**Revised Date:** 07/31/2023



The information and recommendations contained herein are, to the best of Accu-Glass Products, Inc. knowledge and belief, accurate and reliable as of the date issued. Accu-Glass Products, Inc. does not warrant or guarantee their accuracy or reliability, and Accu-Glass Products, Inc. shall not be liable for any loss or damage arising out of the use thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.